

Index

Symbols

/cmd switch, 330
 /compact switch, 330
 /repair switch, 330
 /ro switch, 330
 /Runtime option, 230
 /x switch, 330
 /decompile shortcut switch, 266

A

accelerator keys, homemade, 45–47
 Access 2000, new security features, 18
 Access 2002
 new security features, 17–18
 recovering data from XML files, 137–38
 using XML methods to export tables, 134–37
 Access accounts, logging, 176–82
 completing user log, 180–82
 initiating user log, 178–80
 overview, 176–78
 Access Data Projects (ADPs), 390–91
 Access Editors group, 405, 407, 418, 437
 assigning network account to, 425–27
 bundling related databases in same folder used by, 438
 denying ability to list contents of folder, 429–33
 denying ability to list files in folder, 428–29
 setting permissions for folder to be used by, 420–24
 setting up new, 416–17
 testing permissions, 424–25, 434–36
 Access Editors Properties dialog, 417
 Access Login column (on Access Workbench), 175
 Access protected folder strategy, 427–39
 denying users ability to list folder contents, 429–33
 other permission-related topics, 438–39
 overview, 427–28
 setting up new DBA group, 428–29
 and shortcut files, 436–37
 testing permissions, 434–36
 Access security newsgroup, 241
 Access Special Keys option, 30
Access Unlimited newsletter, 21
 Access Workbench program, 148, 173–76
 ActiveX Data Objects. *See* ADOs (ActiveX Data Objects)
 Add New User dialog, 425
 Add User xxx To Group command, 257
 admin account, 253
 Administer permissions, 253, 368, 369, 370, 394
 Administrator account, 420
 Administrators group, 422, 424
 Admins administration group, 256
 Admins group, 251, 252, 253, 256, 259, 260, 367, 370, 371
 ADO connection, 166, 168, 175
 ADO database passwords, 304
 ADO Extensions (ADOX) library, 259, 399
 ADO library, 18, 164, 166
 ADO RecordSet property, 377
 ADOs (ActiveX Data Objects), 116, 135, 138, 139, 164

Index

ADP, 390, 391, 400
 adPersistADTG constant, 139
 adPersistXML constant, 139
 ADPs (Access Data Projects), 390–91
 advapi32.dll file, 188
 Allow Access Special Keys option, 102
 Allow ByPass Key option, 290
 AllowByPass option, 86, 390
 AllowByPassKey property, 25, 42–45, 47, 220, 224
 AllowToolbarChanges option, 29
 ALREADYOPEN constant, 116
 Alter User xxx Password command, 257
 Anonymous Admin account, 310–11, 367, 371
 anonymous Admin user
 explanation of term, 309–10
 varying permissions for on individual tables, 313–15
 Anonymous Windows Authentication (AWinA), 308, 346–49, 350–55
 Anonymous Windows Authentication Pro, 353–54
 anti-spyware software, 446
 antivirus software, 446
 API (application programming interface), 187
 Append to Existing Data option, 137
 Application object, 126, 134, 142, 145
 application programming interface (API), 187
 Apress Web site, 20
 attributes. *See* database options and attributes
 Attributes property, 75
 author's email address, 21
 Auto Compact Percentage property, 59
 AutoExec macro, 83–87, 162, 277
 adding forms to database with, 118
 alternative to, 330
 creating, 84–86
 use of, 86–87

autoexec.bat file, 83–84
 Autokeys macro, 46
 Automation command, 302
 AWinA. *See* Anonymous Windows Authentication (AWinA)
 AWinA Group account, 354

B

backing up and recovering databases, 109–59
 compacting databases, 124–28
 creating compressed (.ZIP) archives, 122–24
 exporting and recovering programming objects, 140–52
 exporting all programmable objects to text files, 142–45
 exporting of objects to text, how works, 147–52
 exporting VBA module to text file, 140–41
 importing all programmable objects into blank database, 145–47
 importing VBA text file back into database, 141
 overview, 140
 saving and retrieving objects by using hidden methods, 141–42
 further reading, 158–59
 how the text backup files help, 152–56
 multi-user databases, 112–20
 checking whether anyone has database open, 113–18
 overview, 112–13
 setting automatic shutdowns before scheduled backups, 118–20
 normal backups, 120–22
 overview, 9, 109–11, 447
 saving tables to text files, 128–39
 overview, 128–29
 recovering data from Access 2002 XML files, 137–38

- recovering data from comma-delimited text files, 132–34
- saving tables to comma-delimited text files, 129–32
- using Access 2002 XML methods to export tables, 134–37
- using ADO to generate XML files in Access 2000, 139
 - by using Access 2003, 156–58
- Backup menu command, 157
- BAS files, 149, 151
- basGR10_Files module, 93
- basGR8_RefreshTableLinks module, 93
- basGR8_Startup module, 93, 184, 188
- basOpenProtected module, 378, 380, 381
- Begin a Group command, 204
- building security, 447
- Built-in Form View toolbar, 201
- built-in menus, 224–29
- built-in toolbars, 222
- bundling related databases in folder, 438
- Bypass key, 31, 44–45

C

- Cancel button, 34
- Categories form, 264, 322
- Categories table, 134, 153
- Chipman, Mary, 283, 360
- Click event, 380
- client-based Access front ends, 438–39
- Cogan, Adam, 450
- Collins, Kevin, 172
- ColumnHidden property, 78
- columns, hiding from users, 78
- comma-delimited text files
 - recovering data from, 132–34
 - saving tables to, 129–32
- Command Button wizard, 97
- CommandBar object, 199, 226, 228, 229

- Commands form, 207
- Compact Database option, 124
- Compact on Close option, 52, 57–59
- compacting databases, 124–28
- CompactRepair method, 126, 128
- compressed (.ZIP) files, 91, 122–24, 291, 292
- Computer column (on Access Workbench), 174
- computer name, retrieving, 187–88, 189–90
- ComputerName_FX module, 179, 189–90
- computers, logging, 176–82
 - completing user log, 180–82
 - initiating user log, 178–80
 - overview, 176–78
- Confirm Action Queries option, 53, 63
- Confirm Document Deletions option, 53
- Confirm options, 61–62
- Confirm Record Changes option, 53
- Create User command, 257
- CreateNewWorkgroupFile method, 257
- CreateProperty method, 36, 40
- CurrentUser function, 179, 190, 317, 318
- Custom command, 211
- custom menu
 - building, 204–8
 - options requiring, 28–29
- custom toolbar menu, 201–4
- Customers form, 153

D

- DAO (Data Access Objects), 35, 116, 149
- DAO function, 118
- DAO library, 215, 259, 271, 370
- DAO permissions, 280
- DAO TableDef collection, 129
- DAO workspace object, 115
- DAP (data access pages), 385–90, 400
- Data Definition Language. *See* DDL (Data Definition Language)

Index

- Data Link Properties dialog, 386
- data piracy, 449
- Database Administer property, 279
- database administrators (DBAs)
 - and database options and attributes, 51–52
 - and database passwords, 289
 - and good programming practices, 83
 - and object protection, 365
 - and operating system use in protecting database, 404
 - and protecting database with menus and toolbars, 198
 - and startup options, 24–25
 - and user and object surveillance, 163
 - and workgroup security, 235–36, 308
- database developers
 - and database options and attributes, 51–52
 - and database passwords, 289
 - and good programming practices, 82
 - and object protection, 364–65
 - and operating system use in protecting database, 404
 - and protecting database with menus and toolbars, 199
 - and startup options, 24
 - and user and object surveillance, 162
 - and workgroup security, 235, 308
- database options and attributes, 49–80.
 - See also* protection-related database options
 - further reading, 79
 - hiding objects in Database window, 67–78
 - hidden module exposure by VBA Editor, 70–72
 - hiding columns from users, 78
 - listing system and temporary tables in database, 77–78
 - making tables read-only system tables, 75–76
 - selecting/clearing hidden attributes for all objects, 73–74
- making tables read-only system tables, 75–76
- selecting/clearing hidden attributes for all objects, 73–74
- temporary tables and hidden tables, 76–77
 - by using VBA Code, 73
- overview, 49–52
- database passwords, 298–304
 - adding to database, 299–300
 - alternatives to using, 304
 - entering and confirming on peer-to-peer server, 426
 - further reading, 305
 - implementation of, 300
 - importance of, 448
 - and linked tables, 302
 - and MDE format, 394
 - opening database with in Access 2002, 302–3
 - overview, 298–99
 - password retrieval programs, 289
 - password-cracking programs, 393
 - protecting with workgroup security, 300–301
 - situations in which to use, 303–4
- Database Splitter wizard, 88–89, 311, 410
- database upgrade, preventing, 265
- Database window, 69
 - displaying, 27–28
 - hiding objects in, 67–78
 - hidden module exposure by VBA Editor, 70–72
 - hiding columns from users, 78
 - listing system and temporary tables in database, 77–78
 - making tables read-only system tables, 75–76
 - selecting/clearing hidden attributes for all objects, 73–74

temporary tables and hidden tables,
76–77

by using VBA Code, 73

DBA group, 407, 428–29

DBAs. *See* database administrators (DBAs)

dbHiddenObject attribute, 76

DBLock program, 170

dbSystemObject table, 76

DDL (Data Definition Language)

- overview, 38
- protection for startup options
 - applying, 44
 - software used for, 40–41
 - for workgroup-secured databases, 39

ddlRequired variable, 37

Default Open Mode option, 53, 65

default shortcut menus, 222–23

defragging hard drive, 447

deleteMdbToFirst argument, 127

DeleteStartupProps function, 31, 40–41

demonstration material, 10–13

Deny permission, 432, 433, 434

Design View command, 208, 222, 378

developer workgroup file, 311, 318

- access to, 355, 356
- entering information about into wizard fields, 366–67
- in Northwind database, 334
- and permissions for objects (tables), 346
- and User-Level Security wizard in Access 97, 344

developers. *See* database developers

DLLs (dynamic-link libraries), 188

DoCmd.Open methods, 183

DoCmd.OpenForm procedure, 186

DoCmd.OpenReport methods, 182

drives, defragging, 447

Drop User xxx From Group command, 257

dual workgroups, 354

dynamic-link libraries (DLLs), 188

E

Editor account, 318, 334, 341–42

Editors group. *See* Access Editors group

email address of author, 21

email issues, 448

employee security considerations, 332

enableMenuItem function, 226, 227, 228

encryption, 291–95, 399

End button, 99

Err.Description method, 103

Err.Number method, 103

error handling, 97–105

- by Access wizards, 97–99
- effects of not having, 99–100
- overview, 97
- removing Debug button, 101–2
- returning code to location of error, 104–5
- and writing good code, 102–4

Every Windows User account, 351

Everyone group, 421, 422

Excel application, 373

exporting and recovering programming objects, 140–52

- exporting all programmable objects to text files, 142–45
- exporting of objects to text, how works, 147–52
- exporting VBA module to text file, 140–41
- importing all programmable objects into blank database, 145–47
- importing VBA text file back into database, 141
- overview, 140
- saving and retrieving objects by using hidden methods, 141–42

exportObjectsToText_FX subroutine, 147

ExportXML method, 134, 135, 139

Expression Builder, 85

eXtended Markup Language. *See* XML

Index

F

F8 (Step Through Code key), 104

FAT file system, 408, 439, 440–41

FAT32 file system, 355

FileDialog object, 18, 94, 95

FILENAME constant, 327

Find File dialog, 91

firewalls, 411, 444, 446–47

folders

 bundling related databases in same, 438

 denying users ability to list contents of,
 429–33

 setting permissions on, 420–24

Form View and Report Preview mode, 224

Form View shortcut menu, 208, 210, 222, 229

Form View toolbar, 201, 203

form-based read-only mode, 317

forms

 integrating menus into, 212–24

 adding custom toolbars and shortcut
 menus to all forms, 213–18

 menu and toolbar startup options,
 218–24

 overview, 212–13

 protecting by using VBA code, 377–80

 using in MDE databases, 394–95

frmAdvancedOptions form, 66

frmAutoShutdown form, 118

frmBackupAllObjects form, 143

frmCheckandChangeOwnership form, 273

frmClassy form, 381

frmCmdLine form, 327

frmCompactDatabase form, 126

frmCompactEasy form, 124

frmConvertToMDE form, 395–98

frmDevelopersWorkgroup form, 256

frmDisableMenuItems form, 224, 225

frmEditFindOptions form, 62, 63

frmErrorHandling form, 97–98, 100, 101,
102, 103, 105

frmFindNoStartups form, 195

frmGeneralOptions form, 60

frmGR8_unloadAll form, 129

frmHiddenAndSystemObjects form, 73, 74,
75, 77

frmIsDBopenDAO form, 114

frmJetUserRoster. *See* Jet User Roster form

frmJetUserRoster form, 164, 165, 175,
176, 192

frmLaunchPassword form, 303

frmMakeUserLogs form, 177, 178–79, 181

frmOpenUnbound form, 395

frmProtectModule form, 239, 281

frmRelinkDatabase form, 93, 94, 95

frmSafeFormMenus form, 213, 215

frmSafeReportMenus form, 218

frmShowMenus form, 230

frmStartupProperties form, 31–33, 35, 39,
41, 43, 44, 45, 46, 220

frmUnload2002xml form, 135

frmUnloadADOxml form, 139

frmUserObjectLogs, 176–77

frmUserObjectLogs form, 177

Full Data Users group

 permissions to access data, 321

 permissions to change data in
 database, 336

 removing permissions granted to, 375

 reviewing permissions, 342

full menus, 221–22

functions, adding to toolbars, 210–11

further reading. *See* reading resources

G

General tab, 52, 53–61

 changing with VBA Code, 60–61

 Compact on Close option, 57–59

overview, 53–54
 Recently Used File List option, 54–56
 removing personal information, 56–57
 GetHiddenAttribute method, 73–74
 GetOption method, 60, 62, 66, 67
 global unique identifier (GUID), 166
 Google search engine, 19
 Graf-FX shareware program, 280
 Group account
 changes made to, 340
 Group account SIDs, 349
 hidden, 347–48
 Modify Design and Administer
 permissions, 368, 369, 370
 personal IDs for, 339
 setting up and adding new user to,
 318–20
 and User-Level Security wizard, 334, 336
 Group and Users Permissions dialog, 267
 Group ID, 336
 groups, organizing users in, 331
 GUID (global unique identifier), 166
 Gunderloy, Mike, 20

H

hard drives, defragging, 447
 Has Module property, 380
 hidden attributes, 73–74
 hidden methods, 141–42
 Hidden property, 371, 374, 377, 381, 382
 hidden tables, 76–77
 HideDBObjects function, 85
 hiding objects in Database window, 67–78
 hidden module exposure by VBA
 Editor, 70–72
 hiding columns from users, 78
 listing system and temporary tables in
 database, 77–78

making tables read-only system tables,
 75–76
 selecting/clearing hidden attributes for
 all objects, 73–74
 temporary tables and hidden tables,
 76–77
 by using VBA Code, 73
 home computer security, 448
 homemade accelerator keys, 45–47

I

Immediate window, 244, 269
 Import command, 137, 156, 288, 289, 291
 Import Objects wizard, 155, 156
 importing
 all programmable objects into blank
 database, 145–47
 objects from other databases, 289–91
 ImportXML method, 134
 Insert query, 63
 installing front-end databases on client PC,
 96–97
 Internet use, 448
 IsDatabaseOpen function, 114, 115, 116
 IsMissing function, 186
 IT managers
 and database options and attributes, 52
 and database passwords, 288
 and good programming practices, 83
 and object protection, 365
 and operating system use in protecting
 database, 405
 and startup options, 25
 and user and object surveillance, 163
 and workgroup security, 236, 309

J

Jet OLEDB:Database Password property, 304
 Jet OLEDB:System Database property, 387

Index

Jet User Roster form, 163–69
 preventing more users from logging on,
 165–66
 retrieving user roster by using VBA
 code, 166–69
 Jet workspace object, 396
 JetUtils.exe file, 169

K

Kill function, 139

L

laptop theft, 447
 .LDB files, 65, 112, 113, 172, 407, 430
 LDBView utility, 169–73
 limited users, 326, 352, 414, 427, 443
 link manager, customized, 93–94
 Link Manager wizard, 95
 Linked Table Manager, 373, 374
 Linked Table Manager dialog box, 91
 linked tables, 87, 90, 91–93
 and database passwords, 302
 protecting paths with remote queries,
 371–74
 LoadFromText method, 111, 142, 145, 147
 local data protection, 8
 Local Users and Groups dialog, 415, 417, 418
 locking out users, 176
 logging
 individual Access forms and reports,
 184–87
 Windows users, computers, and Access
 accounts, 176–82
 completing user log, 180–82
 initiating user log, 178–80
 overview, 176–78
 LogOffTime column, 181
 Logon dialog, 249

M

macros, protecting, 382
 Main Switchboard form command, 207
 MAKEMDE constant, 398
 McNally, Mark, 173
 MDB database, 390, 391, 393, 399
 MDB format, 289, 390, 393, 394
 MDE format, 391–99
 creating MDE database automatically,
 395–99
 and database passwords, 394
 encrypting MDE databases, 399
 hiding location of front-end database, 437
 hiding queries in MDE databases, 394
 overview, 8, 15
 problems with, 393
 using forms in MDE databases, 394–95
 when MDE database is applicable,
 392–93
 and workgroup security, 394
 .MDW files, 244, 245
 Me column (on Access Workbench), 174
 menus, 197–232
 allowing changes, 29–30
 building, 199–210
 custom menu, 204–8
 custom toolbar menu, 201–4
 overview, 199–200
 shortcut menu, 208–10
 built-in, modifying, 224–29
 custom development of, options
 requiring, 28–29
 integrating menus into forms and
 reports, 212–24
 adding custom toolbars and shortcut
 menus to all forms, 213–18
 menu and toolbar startup options,
 218–24
 overview, 212–13
 overview, 197–99

- Microsoft Excel application, 373
 - Microsoft Word, 292, 300
 - Modify Design permission, 394
 - Modify permission, 430
 - module permissions, 370
 - MS Access Workgroup Administrator.lnk file, 245
 - MSGMINS constant, 118
 - MSysACEs table, 349
 - MSysCompactError system table, 58, 59
 - multi-user databases, backing up and recovering, 112–20
 - checking whether anyone has database open, 113–18
 - overview, 112–13
 - setting automatic shutdowns before scheduled backups, 118–20
- N**
- network account, assigning to Access Editors group, 425–27
 - network shares, hiding, 413
 - New Group dialog, 416
 - New Menu command, 205
 - New User/Group dialog, 319
 - newsgroup for Access security, 241
 - No Read Definitions error, 376
 - Northwind database example, 13–14
 - NTFS file format, 355, 408, 439–41, 444, 450
 - Null qualifier, 259
- O**
- object protection, 363–401
 - Access Data Projects (ADPs), 390–91
 - further reading, 399–400
 - hiding query (design) in forms and VBA code, 376–77
 - MDE format, 391–99
 - creating MDE database automatically, 395–99
 - and database passwords, 394
 - encrypting MDE databases, 399
 - hiding queries in MDE databases, 394
 - problems with, 393
 - using forms in MDE databases, 394–95
 - when MDE database is applicable, 392–93
 - and workgroup security, 394
 - overview, 363–65
 - protecting forms by using VBA code, 377–80
 - protecting linked tables' paths with remote queries, 371–74
 - protecting macros by using VBA code, 382
 - protecting query design, 374–76
 - protecting reports by using VBA code, 381
 - protecting VBA code by using password, 382–84
 - using data access pages with workgroup security, 385–90
 - and workgroup security, 365–71
 - developer workgroup file, 366–67
 - overview, 365
 - workgroup permissions, 368–71
 - objects. *See also* object protection; user and object surveillance
 - exporting to text files, 142–45
 - exporting to text, how works, 147–52
 - importing into blank database, 145–47
 - ownership of, maintaining and change of, 269–73
 - preventing reading of design, 264
 - securing, 262–64
 - transferring ownership of, 267–69
 - Office security patches, 446, 450
 - On Action drop-down list, 211
 - onClick event
 - of Finish button, 60, 63
 - of Refresh button, 33, 62, 66

Index

- Open Database option, 266
 - Open Exclusive permission, 275, 394
 - OpenCurrentDatabase method, 298, 302, 303, 304
 - OpenDatabase method, 304
 - OpenForm_FX function, 184, 184–86
 - opening of Access 97 databases in Access 2000 or later, preventing, 266
 - OpenReport methods, 162
 - OpenReport_FX function, 186
 - Open/Run permission, 239, 336, 369, 370
 - clearing, 275–76
 - and database importation, 268
 - operating system, protecting and securing database with, 403–51
 - Access protected folder strategy, 427–39
 - denying users ability to list folder contents, 429–33
 - other permission-related topics, 438–39
 - overview, 427–28
 - setting up new DBA group, 428–29
 - and shortcut files, 436–37
 - testing permissions, 434–36
 - whether works, 434
 - applicable operating system security overview, 406–9
 - computer and network issues, 446–47
 - further reading, 449–500
 - NTFS format, 439–41
 - overview, 15–17, 403–5
 - people issues, 447–49
 - proof-of-concept operating system security, 409–27
 - adding users to the group, 417–19
 - assigning network account to Editors group, 425–27
 - overview, 410–11
 - preparing databases in protected folder, 410–11
 - setting permissions on folder, 420–24
 - setting up network share, 411–13
 - setting up new Access Editors group, 416–17
 - setting up user account, 413–15
 - testing new Windows account, 419–20
 - testing permissions, 424–25
 - protecting against unattended computers, 441–43
 - Windows XP, 443–45
 - options. *See* database options and attributes
 - Options dialog box, 52
 - Orders table, 341, 357, 371, 372
 - organizing users in groups, 331
 - ownership of database and its objects, transferring, 267–69
- P**
- passwords. *See also* database passwords
 - protecting VBA code with, 305, 382–84
 - screen saver password security, 441–42
 - selection and protection of, 448
 - PDF printer driver, 341
 - peer-to-peer networks, 404, 406, 408, 425, 426
 - Permission Entry dialog, 432
 - personal identifiers. *See* PIDs (personal identifiers)
 - personal information, removing, 56–57
 - PID authentication, 345–55
 - Anonymous Windows Authentication (AWinA), 346–49, 350–55
 - Anonymous Windows Authentication Pro, 353–54
 - dual workgroups, 354
 - overview, 345–46
 - PIDs (personal identifiers), 243, 296, 309, 318, 336
 - piracy
 - data, 449
 - software, 448

- programming of startup options, 30–41
 - demonstration form, 31–34
 - manipulating startup properties with VBA code, 34–37
 - overview, 30–31
 - preventing end users from changing startup properties, 37–41
 - programming practices, good, 81–107
 - AutoExec macro, 83–87
 - creating, 84–86
 - use of, 86–87
 - error handling, 97–105
 - by Access wizards, 97–99
 - effects of not having, 99–100
 - overview, 97
 - removing Debug button, 101–2
 - returning code to location of error, 104–5
 - writing good code, 102–4
 - further reading, 105–7
 - overview, 81–82, 82–83
 - splitting databases, 87–97
 - customized link manager, 93–94
 - Database Splitter wizard, 88–89
 - delivering new front-end database with linked tables, 91–93
 - implementing relinking software, 95
 - installing front-end databases on client PC, 96–97
 - linking by using UNC's rather than mapped drives, 95–96
 - overview, 87
 - reasons for, 90
 - when not to, 96
 - proof-of-concept operating system
 - security, 409–27
 - adding users to group, 417–19
 - assigning network account to Editors group, 425–27
 - overview, 410–11
 - preparing databases in protected folder, 410–11
 - setting permissions on folder, 420–24
 - setting up network share, 411–13
 - setting up new Access Editors group, 416–17
 - setting up user account, 413–15
 - testing new Windows account, 419–20
 - testing permissions, 424–25
 - protected folder strategy. *See* Access protected folder strategy
 - Protection menu, 219
 - protection-related database options, 52–67
 - Advanced tab, 65–67
 - Edit/Find tab, 61–64
 - General tab, 53–61
 - changing with VBA Code, 60–61
 - Compact on Close option, 57–59
 - overview, 53–54
 - Recently Used File List option, 54–56
 - removing personal information, 56–57
 - overview, 52–53
- ## Q
- queries, hiding in MDE databases, 394
 - query design
 - hiding in forms and VBA code, 376–77
 - protecting, 374–76
 - Query Permissions property, 376
 - Query Properties dialog, 371
 - Quit method, 118
- ## R
- Read Data permission, 268
 - Read Design permission, 268, 279, 280, 369, 394

Index

- reading resources
 - backing up and recovering databases, 158–59
 - database options and attributes, 79
 - encryption and database passwords, 305
 - general information, 19–20
 - good programming practices, 105–7
 - object protection and security, 399–400
 - operating system, protecting and securing database with, 449–500
 - protecting database with menus and toolbars, 229–31
 - startup options, 47
 - user and object surveillance, 193–95
 - workgroup security, 282–84, 360–61
 - Read-Only group, 438
 - read-only permission, 310, 316
 - allowing for ubiquitous users, 315–17
 - applying to shortcut files, 437
 - form-based read-only mode, 317
 - making table a read-only system table, 75–76
 - setting up read-only group, 438
 - Recently Used File List option, 52, 54–56
 - RecordSet property, 377
 - RecordSource property, 373, 376, 377, 394, 395
 - recovering databases. *See* backing up and recovering databases
 - References command, 393
 - relinking software, implementing, 95
 - remote queries
 - using in normal development, 373–74
 - when require additional VBA coding, 374–75
 - Remove Personal Information option, 52
 - removing
 - Debug button, 101–2
 - permissions granted to Full Data Users group, 375
 - permissions granted to ubiquitous Users group, 367, 375
 - personal information, 56–57
 - renaming user and security commands, 254–55
 - Repair option, 124
 - reports
 - integrating menus into, 212–24
 - adding custom toolbars and shortcut menus to all forms, 213–18
 - menu and toolbar startup options, 218–24
 - overview, 212–13
 - protecting by using VBA code, 381
 - resources. *See* reading resources
 - Restricted User option, 414
 - retrieving
 - computer name, 187–88, 189–90
 - objects by using hidden methods, 141–42
 - user roster by using VBA code, 166–69
 - Windows user ID, 187–89
 - workgroup user name, 187–88, 190–91
 - Rice, Frank, 283
 - rptGR8_UserLogs report, 181, 183–84
 - Run Permissions properties, 358
 - RWOP (Read with Owner Permissions) queries, 357–58, 374–76
- ## S
- Save method, 139
 - SaveAsText method, 144
 - SaveToText method, 142
 - saving tables to text files, 128–39
 - overview, 128–29
 - recovering data from Access 2002 XML files, 137–38
 - recovering data from comma-delimited text files, 132–34

- saving tables to comma-delimited text files, 129–32
 - using Access 2002 XML methods to export tables, 134–37
 - using ADO to generate XML files in Access 2000, 139
- screen saver password security, 441–42
- Second Copy product, 121, 122
- Security command, 348
- security commands, renaming, 254–55
- Security dialog, 422
- Security library, 135
- security newsgroup, Access, 241
- security wizards, 333–45
 - Access 2000 (or Later) User-Level Security Wizard, 334–43
 - overview, 334
 - results of, 340–43
 - steps to protecting data with, 334–40
 - Access 97 User-Level Security Wizard, 343–45
 - overview, 333
- SendKeys method, 124
- server-based databases, 10, 359–60
- SetDefaultWorkgroupFile method, 257
- SetHiddenAttribute method, 73–74
- SetOptions method, 60, 62, 66
- SetWarnings method, 64
- SHIFT key. *See* Bypass Key
- shortcut files
 - and Access protected folder strategy, 436–37
 - opening databases with, 323–31
 - creating secure shortcut file, 326–29
 - creating shortcut file, 323–26
 - overview, 323
 - with read-only command line option, 438
- shortcut menu, building, 208–10
- Shortcut Menu property, 213
- Show Database Window, 290
- Show Hidden Objects option, 53, 290
- Show System Objects option, 53
- SHUTDOWNHOUR constant, 118
- SIDs (special identifiers), 243, 245, 283
- Skipped LDB column (on Access Workbench), 175
- Smart Access* magazine, 20
- software piracy, 448
- software updates, 446
- special identifiers (SIDs), 243, 245, 283
- Special Keys option, 30
- splitting databases, 87–97
 - customized link manager, 93–94
 - Database Splitter wizard, 88–89
 - delivering new front-end database with linked tables, 91–93
 - implementing relinking software, 95
 - installing front-end databases on client PC, 96–97
 - linking by using UNC's, 95–96
 - overview, 87
 - reasons for, 90
 - when not to, 96
- spyware, 446
- SQL commands, 259
- SQL queries, 18, 291
- SQL Server, 360, 406
- Startup dialog, 275
- Startup Display form, 26–27
- Startup menu bar, 220–21
- startup options
 - AllowBypassKey property, 42–45
 - DDL protection for
 - software used for, 40–41
 - for workgroup-secured databases, 39
 - further reading, 47
 - manually changing, 25–30
 - for menus and toolbars, 218–24
 - overview, 23–25

Index

- programming, 30–41
 - demonstration form, 31–34
 - manipulating startup properties with VBA code, 34–37
 - overview, 30–31
 - preventing end users from changing startup properties, 37–41
 - using homemade accelerator keys in restricted environments, 45–47
 - Startup options dialog, 223
 - startup properties. *See* startup options
 - startup sequence, checking for users who skip, 191–93
 - Startup Shortcut menu bar, 222
 - StartUpProps function, 31, 33, 34, 37, 40
 - StartupShowDBWindow property, 33, 34
 - Static statement, 379–80
 - Step Through Code key (F8), 104
 - surveillance. *See* user and object surveillance
 - Suspect Exit column (on Access Workbench), 175
 - suspect state, 165, 171
 - Switchboard Manager wizard, 204
 - SysCmd function, 318, 327, 398
 - system.mdw file, 242
- T**
- TableDef collection, 129
 - TableDef object, 75
 - tables
 - linked, 87
 - delivering new front-end database with, 91–93
 - protecting paths with remote queries, 371–74
 - listing system and temporary tables in database, 77–78
 - making read-only system tables, 75–76
 - overwriting permissions, 322
 - protecting, 313–15
 - saving to text files
 - overview, 128–29
 - recovering data from Access 2002 XML files, 137–38
 - recovering data from comma-delimited text files, 132–34
 - saving tables to comma-delimited text files, 129–32
 - using Access 2002 XML methods to export tables, 134–37
 - using ADO to generate XML files in Access 2000, 139
 - temporary tables and hidden tables, 76–77
 - testing
 - new Windows account, 419–20
 - permissions, 424–25, 434–36
 - text files, saving tables to
 - overview, 128–29
 - recovering data from Access 2002 XML files, 137–38
 - recovering data from comma-delimited text files, 132–34
 - saving tables to comma-delimited text files, 129–32
 - using Access 2002 XML methods to export tables, 134–37
 - using ADO to generate XML files in Access 2000, 139
 - time logging functions, 186–87
 - Toolbar Properties dialog, 205
 - toolbars, 197–232
 - adding functions to, 210–11
 - allowing changes, 29–30
 - building, 199–200
 - built-in, modifying
 - custom development of, options requiring, 28–29
 - overview, 197–99
 - triangle and asterisk [*] symbols, 317
 - TrimToNull function, 168

U

- ubiquitous Users group, 355
 - allowing read-only rights for, 315–17, 334
 - care with permissions assigned to, 313
 - denying access to tables for, 322
 - explanation of term, 309
 - removing permissions granted to, 367, 375
 - and User-Level Security wizard, 334, 336
- UNC (universal naming convention), 95–96
- Understanding Microsoft Jet Locking (LDB Files)*, 172
- universal naming convention (UNC), 95–96
- update of this book, 21
- upgrading
 - preventing, 265
 - whether assists in security, 17
- Use Access Special Keys option, 30
- User Accounts wizard, 427
- User and Group Permissions dialog, 368, 370
- user and object surveillance, 161–96
 - Access Workbench program, 173–76
 - checking for users who skip startup sequence, 191–93
 - further reading, 193–95
 - Jet User Roster form, 163–69
 - preventing more users from logging on, 165–66
 - retrieving user roster by using VBA code, 166–69
 - LDBView utility, 169–73
 - logging Windows users, computers, and Access accounts, 176–82
 - completing user log, 180–82
 - initiating user log, 178–80
 - overview, 176–78
 - overview, 161–62
 - recording when objects are opened, 182–87
 - retrieving computer name, 187–88, 189–90
 - retrieving Windows user ID, 187–89
 - retrieving workgroup user name, 187–88, 190–91
 - using VBA code to log use of individual Access forms and reports, 184–87
- user commands, renaming, 254–55
- User_FX function, 179
- User-Level Security Wizard
 - for Access 2000 (or Later)
 - results of, 340–43
 - steps to protecting data with, 334–40
 - for Access 97, 343–45
- UserLog table, 191, 195
- Users and Groups dialog, 415, 416, 417
- Users and Passwords dialog, 413, 415, 416
- Users group, 243
 - adding new user to, 250
 - Admin account as member of, 253
 - changing permissions, 238–39
 - clearing Open/Run permission for, 275–76
 - Full Data Users group
 - permissions to access data, 321
 - permissions to change data in database, 336
 - removing permissions granted to, 375
 - reviewing permissions, 342
 - and password protection with workgroup security, 300–301
 - ubiquitous Users group, 355
 - allowing read-only rights for, 315–17, 334
 - care with permissions assigned to, 313
 - denying access to tables for, 322
 - explanation of term, 309
 - removing permissions granted to, 367, 375
 - and User-Level Security wizard, 334, 336
 - using permissions to tame, 278–82
- USys prefix, 70

Index

V


- VBA Editor, hidden module exposure by, 70–72
- VBA (Visual Basic for Applications)
 - changing General tab with, 60–61
 - code management in Access 2000, 18
 - creating MDE database using, 395–99
 - exporting VBA module to text file, 140–41
 - to help manage menus, 223–24
 - hiding query (design) in, 376–77
 - importing VBA text file back into database, 141
 - manipulating startup properties with, 34–37
 - off the AllowByPass option by using, 390
 - and PCode, 391–92
 - project passwords, 305, 382–84
 - protecting code by using password, 382–84
 - protecting forms by using, 377–80
 - protecting reports by using, 380–81
 - and remote queries, 374
 - Shell method, 327
- View Toolbars Customize command, 223
- View Toolbars Customize command, 201
- virus software, 446
- Visible property, 378

W

- Web surfing, 448
- Windows account, testing new, 419–20
- Windows permission group, 428, 438
- Windows Server domain, 408
- Windows User account, 346, 347–49, 351, 352, 354, 367
- Windows user group, 410
- Windows user ID, retrieving, 187–89

- Windows users, logging, 176–82
 - completing user log, 180–82
 - initiating user log, 178–80
 - overview, 176–78
- Windows XP, 443–45
- With Owner permission, 279, 280
- wizards. *See also* security wizards; User-Level Security Wizard
 - Command Button wizard, 97
 - Database Splitter wizard, 88–89, 311, 410
 - error handling added by, 97–99
 - Import Objects wizard, 155, 156
 - Link Manager wizard, 95
 - Switchboard Manager wizard, 204
 - User Accounts wizard, 427
- Word application, 292, 300
- Workbench program, 148, 173–76
- Workgroup Administrator dialog, 247
- workgroup file. *See* workgroup security
- workgroup permissions, 368–71
- workgroup security, 20, 233–85, 307–62. *See also* security wizards
 - building workgroup file in code, 256–61
 - database administrator overview, 308
 - database developer overview, 308
 - developer workgroup file strategy, 240–45
 - determining which workgroup file and user, 243–44
 - what workgroup file is, 243
 - workgroup file database, 245
 - employee security considerations, 332
 - further reading, 282–84, 360–61
 - investigate operating system security as alternative, 333
- IT manager overview, 309
- maintaining object ownership and change of ownership, 269–73

- and MDE format, 394
- and object protection, 365–71
 - developer workgroup file, 366–67
 - overview, 365
 - workgroup permissions, 368–71
- opening databases with shortcut files, 323–31
 - creating secure shortcut file, 326–29
 - creating shortcut file, 323–26
 - overview, 323
- organizing users in groups, 331
- overview, 233–36, 307–8
- PID authentication, 345–55
 - Anonymous Windows
 - Authentication (AWinA), 346–49, 350–55
 - Anonymous Windows
 - Authentication Pro, 353–54
 - dual workgroups, 354
 - overview, 345–46
- preparing developer workgroup file, 245–53
 - creating and joining workgroup
 - administration files, 246–48
 - no logon dialog, 248–49
 - setting up developer user account, 249–53
 - workgroup administrator for Access 2002 or later, 245–46
 - workgroup administrator for Access 97 and 2000, 245
- preventing database upgrade to later version of Access, 265
- preventing opening Access 97 databases in Access 2000 or later, 266
- preventing reading of object design and permissions changes, 264
- protecting database passwords with, 300–301
- protecting data outside company network, 355–59
- rather than protection, 236–37
- removing all permissions from admin user, 276–77
- renaming user and security commands, 254–55
- securing an object, 262–64
- securing database with developer workgroup file, 261
- server-based databases, 359–60
- setting database permissions, 273–76
- terminology, 309–10
- testing database permissions, 276
- transferring ownership of database and its objects, 267–69
- trusting users by adopting same workgroup, 318–22
- trusting workgroups to other users, 310–17
 - allowing ubiquitous users read-only rights to data, 315–17
 - changing ownership from
 - anonymous account, 310–11
 - form-based read-only mode, 317
 - overview, 310
 - protecting individual tables, 313–15
 - stopping anyone else from opening database, 312–13
- using data access pages with, 385–90
- using permissions to tame users group, 278–82
- workgroup security files, 295–98
- workgroup user name, retrieving, 187–88, 190–91
- WRKGADM.EXE program, 245







Index






X

- XML (eXtensible Markup Language)
 - recovering data from XML files, 137–38
 - using Access 2002 XML methods to export tables, 134–37
 - using ADO to generate XML files in Access 2000, 139

Z

- .ZIP files, 91, 122–24, 291, 292







forums.apress.com

FOR PROFESSIONALS BY PROFESSIONALS™

JOIN THE APRESS FORUMS AND BE PART OF OUR COMMUNITY. You'll find discussions that cover topics of interest to IT professionals, programmers, and enthusiasts just like you. If you post a query to one of our forums, you can expect that some of the best minds in the business—especially Apress authors, who all write with *The Expert's Voice*™—will chime in to help you. Why not aim to become one of our most valuable participants (MVPs) and win cool stuff? Here's a sampling of what you'll find:

DATABASES

Data drives everything.

Share information, exchange ideas, and discuss any database programming or administration issues.

PROGRAMMING/BUSINESS

Unfortunately, it is.

Talk about the Apress line of books that cover software methodology, best practices, and how programmers interact with the "suits."

INTERNET TECHNOLOGIES AND NETWORKING

Try living without plumbing (and eventually IPv6).

Talk about networking topics including protocols, design, administration, wireless, wired, storage, backup, certifications, trends, and new technologies.

WEB DEVELOPMENT/DESIGN

Ugly doesn't cut it anymore, and CGI is absurd.

Help is in sight for your site. Find design solutions for your projects and get ideas for building an interactive Web site.

JAVA

We've come a long way from the old Oak tree.

Hang out and discuss Java in whatever flavor you choose: J2SE, J2EE, J2ME, Jakarta, and so on.

SECURITY

Lots of bad guys out there—the good guys need help.

Discuss computer and network security issues here. Just don't let anyone else know the answers!

MAC OS X

All about the Zen of OS X.

OS X is both the present and the future for Mac apps. Make suggestions, offer up ideas, or boast about your new hardware.

TECHNOLOGY IN ACTION

Cool things. Fun things.

It's after hours. It's time to play. Whether you're into LEGO® MINDSTORMS™ or turning an old PC into a DVR, this is where technology turns into fun.

OPEN SOURCE

Source code is good; understanding (open) source is better.

Discuss open source technologies and related topics such as PHP, MySQL, Linux, Perl, Apache, Python, and more.

WINDOWS

No defenestration here.

Ask questions about all aspects of Windows programming, get help on Microsoft technologies covered in Apress books, or provide feedback on any Apress Windows book.

HOW TO PARTICIPATE:

Go to the Apress Forums site at <http://forums.apress.com/>.

Click the New User link.